# **SECTION 1 - IDENTIFICATION**

MAJESTIC SOLUTIONS DISTRIBUTING CO 1001 CORPORATION PARKWAY SUITE 110

MANUF / DIST:

PREPARER / CONTACT: PREPARER PHONE: 24 HOUR EMERGENCY PHONE:

TRADE NAME / SYNONYMS: CHEMICAL NAME / SYNONYMS: CHEMICAL FAMILY: FORMULA: PRODUCT CODE: INTENDED USE:

# 919-212-1150 INFOTRAC 1-800-535-5053

# SPRAY WAX


RALEIGH, N.C. 27610

PHIL TODD

NOT APPLICABLE NOT APPLICABLE PROPRIETARY NOT APPLICABLE AUTOMOTIVE CLEANING CHEMICAL

## **SECTION 2. HAZARDOUS IDENTIFICATION**

## SECTION 1 HAZARDOUS MATERIAL IDENTIFICATION SYSTEM:





Signal Word: WARNING! - FOR HEALTH EFFECTS (Acute and Chronic): SEE SECTION 11

# **SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

NAMES OF HAZARDOUS INGREDIENTS: See CFR29§1910.1200 (i)-(13)				[ exact % withheld as trade secret ]			
CHEMICAL / COMMON NAME	CAS# PERCE	ENTAGE	PEL-OSHA	TLV-ACGIH			
Light Napthenic Pet. Distillates	64741-44-2	>1	5mg/m3	5mg/m3			
2 Butoxy Ethanol (Skin)	111-76-2	>1	50PPM	25PPM			
Quarternary Amine	mixture	>1	N/A	N/A			
THIS PRODUCT DOES NOT CONTAIN CARCINOGENS: (NTP, IARC, OSHA):							

MAJESTIC SOLUTIONS DISTRIBUTING CO

# **SECTION 4 - FIRST AID MEASURES**

## EMERGENCY FIRST AID PROCEDURES:

- a) Skin Wash with running water.
- b) Eyes Flush with large amounts of water, lifting upper and lower lids occasionally.
- c) Inhalation If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet and get medical attention.
- d) Ingestion Immediately drink 2 glasses of water and induce vomiting by either giving IPECAC syrup or by placing fingers at the back of throat. Never give anything by mouth to an unconscious person. Get medical attention immediately.

# **SECTION 5 - FIRE FIGHTING MEASURES**

EXTINGUISHING MEDIA: Not considered a fire hazard, but standard firefighting procedures should always be administered. SPECIAL FIRE FIGHTING PROCEDURES: Clear area of all personnel. Do not enter confined area without full bunker gear. See additional comments section.

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

SPECIAL FIRE FIGHTING OR SPILL PROCEDURES ALWAYS WEAR FULL BUNKER GEAR, AND BREATHING APPARATUS. COOL CONTAINERS WITH WATERFOG SPRAY.

HAZARDOUS DECOMPOSITION PRODUCTS: After water evaporates, burning may produce slight oxides of carbon, traces of sulfur and nitrogen oxides and various hydrocarbons.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

## STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Absorb the large spill on suitable absorbent. Wash the residue down the drain or pit with plenty of water. Small spills can be flushed down the drain with plenty of water.

## **SECTION 7 - HANDLING AND STORAGE**

### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

- a) Do not store under freezing conditions or above 120 degrees F.
- b) Protect from physical damage and keep tightly closed.
- c) Do not store near acids or acidic materials and oxidizers.
- d) Containers with concentrate should be marked slippery on floor surfaces

### INCOMPATIBILITY (Material To Avoid):

Avoid contact with acids and strong oxidizers such as chlorine, permanganate, etc.

### **MAINTENANCE PRECAUTIONS:**

When working with FLAMMABLE material near this product, electrically ground all equipment and use only non-sparking tools. OTHER PRECAUTIONS:

a) Containers, even those that have been emptied will retain product residue and vapors. Always obey hazard warnings.

## **SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

VENTILATION: LOCAL EXHAUST: Below TLV(s)MECHANICAL (GENERAL): EXPLOSION PROOF SPECIAL: N/A OTHER: N/A RESPIRATORY PROTECTION: Not needed. PROTECTIVE GLOVES: Not needed. OTHER PROTECTIVE EQUIPMENT: N/A OTHER ENGINEERING CONTROLS:

DHL 14

MAJESTIC SOLUTIONS DISTRIBUTING CO

Eye wash and quick drench facilities.

#### WORK PRACTICES:

Eye wash fountain and safety shower should be easily accessible. Discard properly such items as rags and trash soaked with the product. Provide adequate ventilation.

### **HYGIENIC PRACTICES:**

Avoid contact with eyes, skin and clothing. Avoid inhalation of product vapors. Wash thoroughly after handling and before eating, drinking or smoking. Remove contaminated clothing promptly and wash thoroughly before reused.

## **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT (F):	>212	SPECIFIC GRAVITY (WATER=1):	0.945				
VAPOR PRESSURE (mmHg):	N/D	PERCENT VOLATILE BY VOLUME (%):	>85.00				
VAPOR DENSITY (AIR=1):	N/D	<b>EVAPORATION RATE (WATER=1):</b>	1				
SOLUBILITY IN WATER	100%	рН	8-9				
FLASH POINT (Method Used):	None	FLAMMABLE LIMITS: LEL= N/A UEL= N/A					
Melting pt-N/A /freezing pt 30+-°F/Relative density N/A							
APPEARANCE,ODOR,VISCOSITY:: Yellowish Color, thin liquid no distinguishable specific odor.							

Yellowish Color, thin liquid no distinguishable specific odor.

## **SECTION 10 - STABILITY AND REACTIVITY**

## THIS PRODUCT IS STABLE

HAZARDOUS POLYMERIZATION WILL NOT OCCUR

# **SECTION 11 - TOXICOLOGICAL INFORMATION**

## FOR NUMERICAL MEASURES OF TOXICITY SEE SECTION 3, COLUMNS (PEL-OSHA)AND(TLV-ACGIH)

### **HEALTH EFFECTS (Acute and Chronic):**

\*Acute\*:

- Eyes Can cause severe irritation, redness, tearing, blurred vision. a)
- b) Skin - Prolonged or repeated contact can cause moderate irritation, defatting, dermatitis.
- c) **Inhalation - mild irritation**
- d) Ingestion - Can cause gastro-intestinal irritation, nausea, vomiting and diarrhea.

### \*Chronic\*

- a) May result in areas of destruction of the skin tissue.
- b) Overexposure to Glycol Ethers (in it's pure state) has apparently been found to cause anemia, liver abnormalities kidney/lung damage, and blood damage in laboratory animals.
- May result in areas of destruction of skin tissues, or primary irritant dermatitis. Inhalation of dust or mist may cause skin c) sensitization - body rash.

THIS PRODUCT DOES NOT CONTAIN CARCINOGENS: (NTP, IARC, OSHA)

### PRIMARY ROUTES OF ENTRY: a) Skin b) Inhalation

### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Pre-existing skin, eye and respiratory disorders may be aggravated by exposure to product.

## **SECTION 12 - ECOLOGICAL INFORMATION**

ENVIRONMENTAL DATA: N/A

100% BIODEGRADABLE

ECOTOXICOLOGICAL INFORMATION: N/A

# **SECTION 13 - DISPOSAL CONSIDERATIONS**

### WASTE DISPOSAL METHODS:

Dispose of according to local, state and federal regulations for biodegradable soaps and detergents.

## **SECTION 14 - TRANSPORT INFORMATION**

SHIPPING INFO, UN/NA #'s, LABEL INFO NECESSARY OR SUGGESTED:

### Contains 2 Butoxyethanol 6.1, UN2810, PG 3, KEEP AWAY FROM FOOD

## KEEP OUT OF THE REACH OF CHILDREN

## **SECTION 15 - REGULATORY INFORMATION**

THIS PRODUCT DOES NOT CONTAIN CARCINOGENS: (NTP, IARC, OSHA)

# **SECTION 16 - OTHER INFORMATION**

# **KEEP OUT OF THE REACH OF CHILDREN!**

IN CLOSE COOPERATION OF THE US GOVERNMENT'S PAPER REDUCTION ACT, AND ALSO IN EFFORT TO PROVIDE FULL AND COMPLETE INFORMATION AS SUGGESTED BY THE OSHA GUIDELINES, AND KEEPING IN ALIGNMENT WITH THE SOCIETY for CHEMICAL HAZARD COMMUNICATION (SCHC) AND WE HAVE BEEN ABLE TO KEEP ALL IN 4 PAGES..

THESE SDS SHEETS ARE WRITTEN IN AN EFFORT TO PROVIDE INFORMATION TO THE WORKER IN THE WORKPLACE AND IN SUCH A WAY IT CAN BE UNDERSTOOD.

We have enjoyed many compliments as to the readability and understandable content, and take great pride in providing these Safety Data Sheets to the use of our customers.

The International Labour Organization has suggested 16 sections of the sheets, and we have re adjusted the 8 part, and rearranged the information, and renamed the sheets from MATERIAL Safety Data Sheets to SAFETY DATA SHEETS. THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE. IT IS PROVIDED FOR A CONTINUING SAFETY PROGRAM INITIATED BY THE MANUFACTURER/DISTRIBUTOR NAMED ON THIS SHEET. IT IS NOT INTENDED TO CONSTITUTE PERFORMANCE INFORMATION CONCERNING THE PRODUCT. NO EXPRESS WARRANTY, OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE WITH RESPECT TO THE PRODUCT OR THE INFORMATION CONTAINED HEREIN.

Please note that several items were left out of section 9 because they do not affect the worker in the workplace. Partition coefficient: n-octanol/water; • Auto-ignition temperature; • Decomposition temperature and Odor threshold.