

## Water Spot Remover

### 1 PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** Water Spot Remover  
**SDS Number:** FG3152  
**Revision Date:** 12/14/2015  
**Version:** 1  
**Supplier Details:** Majestic Solutions Distributing Company, Inc  
1001 Corporation Pkwy, Ste. 110  
Raleigh, NC 27610

**Phone:** 919-212-1150  
**InfoTrac Day & Night:** 800-535-5053

### 2 HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

##### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

Health, Serious Eye Damage/Eye Irritation, 1  
Health, Skin corrosion/irritation, 1 A  
Health, Acute toxicity, 1 Dermal  
Health, Acute toxicity, 2 Inhalation  
Health, Acute toxicity, 2 Oral

#### GHS Label elements, including precautionary statements

**GHS Signal Word:** **DANGER**

**GHS Hazard Pictograms:**



#### EMERGENCY FIRST AID PROCEDURES:

- a) Skin:** Immediately flush skin with lots of running water and soap for at least 30 minutes. Remove contaminated clothing and shoes, wash before reuse.
- b) Eyes:** Flush immediately with large quantities of running water for at least 15 minutes. Remove contact lenses if present and easy to do. Consult physician.
- c) Inhalation:** If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet and get medical attention.
- d) Ingestion:** Call physician immediately. If conscious, give lots of water or milk. Do not give anything by mouth to an unconscious or convulsing person.

## Water Spot Remover

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

**Ingredients:**

Cas#	%	Chemical Name
7664-39-3	3%	Hydrofluoric acid

The specific chemical identity and/or exact percentages are being withheld as a trade secret (CBI). In the event of an emergency, the exact chemical formula and percentages will be given to medical personnel upon request.

All chemicals in this product are reported in the EPA TSCA Inventory.

### 4 FIRST AID MEASURES

<b>Inhalation:</b>	If inhaled move to fresh air. If symptoms persist, obtain medical attention.
<b>Skin Contact:</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If irritation persist, obtain medical attention.
<b>Eye Contact:</b>	Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Contact a physician if redness persists.
<b>Ingestion:</b>	Do not induce vomiting without medical advice. Drink plenty of water to dilute. Do not give anything by mouth to an unconscious or convulsing person. Contact a physician immediately.

### 5 FIRE FIGHTING MEASURES

Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Extinguishing Methods: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

Specific hazards during fire-fighting: Burning produces irritant fumes. Exposure to decomposition products may be a hazard to health.

Special protective equipment: Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

### 6 ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures: Use appropriate protective equipment. (See Section 8.) Do not get into eyes, skin, or clothing. Wear respiratory protection. Avoid breathing vapors. Ensure adequate ventilation.

Environmental Precautions: Do not let product enter drains. Prevent uncontrolled discharge of product into the environment if safe to do so.

Methods and Materials for Containment and Cleanup: Do not discharge into waste water. Soak up with inert absorbent material (e.g. sand, silica gel, sawdust). Sweep up and shovel. Place in a non-leaking container for proper disposal according to Federal, State, and Local regulations.

---

## Water Spot Remover

---

7

### HANDLING AND STORAGE

**Handling Precautions:**

Wear personal protective equipment when handling product. Handle with care. Take care to avoid waste and spillage when weighing, loading and mixing the product.

**Storage Requirements:**

Observe label precautions. Keep containers tightly closed in a dry, cool and well ventilated place. Do not allow product to freeze.

## Water Spot Remover

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:**  
**Personal Protective Equipment:**

Use in well ventilated area.

Personal Protective Equipment: HMIS PP, C | Safety Glasses, Gloves, Apron.

Use good chemical hygiene practice. Avoid contact with skin, eyes, and clothing. Avoid inhalation of vapors.

Hydrofluoric acid (7664-39-3) [3%]

Components with workplace control parameters

STEL 6 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

TWA 0.5 ppm USA. ACGIH Threshold Limit Values (TLV)  
Fluorosis Upper Respiratory Tract, Lower Respiratory Tract, skin & eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI section)

C 2 ppm USA. ACGIH Threshold Limit Values (TLV)  
Fluorosis Upper Respiratory Tract, Lower Respiratory Tract, skin & eye irritation Substances for which there is a Biological Exposure Index or Indices (see BEI section)

TWA 3 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

TWA 3 ppm USA. Occupational Exposure Limits (OSHA) - Table Z2  
Z37.28- 1969

TWA 2.5 mg/m3 USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
Limits for Air Contaminants

TWA 2.5 mg/m3 USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
Limits for Air Contaminants

CAS number varies with compound

TWA 3 ppm USA. NIOSH Recommended Exposure Limits  
2.5 mg/m3

C 6 ppm USA. NIOSH Recommended Exposure Limits  
5 mg/m3

15 minute ceiling value  
See Table Z-2

## Water Spot Remover

**9****PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Hazy orange/pink liquid	<b>Odor:</b>	Cherry
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	Soluble in Water
<b>Odor Threshold:</b>	No data available	<b>Freezing/Melting Pt.:</b>	No data available
<b>Spec Grav./Density:</b>	1.04	<b>Flash Point:</b>	No data available
<b>Viscosity:</b>	No data available	<b>Vapor Density:</b>	No data available
<b>Boiling Point:</b>	No data available	<b>Auto-Ignition Temp:</b>	No data available
<b>Partition Coefficient:</b>	No data available	<b>UFL/LFL:</b>	No data available
<b>Vapor Pressure:</b>	No data available		
<b>pH:</b>	<3.5		
<b>Evap. Rate:</b>	No data available		
<b>Decomp Temp:</b>	No data available		

**10****STABILITY AND REACTIVITY**

<b>Reactivity:</b>	Stable
<b>Chemical Stability:</b>	Stable under normal conditions.
<b>Conditions to Avoid:</b>	Open flame and excessive heat.
<b>Materials to Avoid:</b>	Avoid contact with strong oxidizing agents. Strong acids and strong bases.
<b>Hazardous Decomposition:</b>	Carbon dioxide (CO <sub>2</sub> ), carbon monoxide (CO). Other unknown decomposition products possible.
<b>Hazardous Polymerization:</b>	Will not occur.

## Water Spot Remover

11

### TOXICOLOGICAL INFORMATION

Hydrofluoric acid (7664-39-3) [3%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: Eyes: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Hydrofluoric acid)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Ingestion May be fatal if swallowed. Skin May be fatal if absorbed through skin. Causes skin burns. Eyes Causes eye burns. Causes severe eye burns.

Signs and Symptoms of Exposure: Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., necrosis of the skin, Material can cause severe burns and blistering which may not be immediately painful or visible. The full extent of tissue damage may not exhibit itself for 12-24 hours after exposure.

Synergistic effects: no data available

Additional Information:

RTECS: Not available

---

## Water Spot Remover

---

**12**

### ECOLOGICAL INFORMATION

Hydrofluoric acid (7664-39-3) [3%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

**13**

### DISPOSAL CONSIDERATIONS

Do not dispose of waste into sewer. Contact a licensed professional waste disposal service to dispose of this material. Dispose of waste material in accordance with all local, regional, national, and international regulations.

Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.

**14**

### TRANSPORT INFORMATION

UN1790, Hydrofluoric acid, with not more than 60 percent strength, 8,(6.1), PGII

Marine Pollutant: No

## Water Spot Remover

### 15 REGULATORY INFORMATION

Component (CAS#) [%] - CODES

RQ(100LBS), Hydrofluoric acid (7664-39-3) [3%] CERCLA, CSWHS, EHS302, EPCRAWPC, HAP, MASS, NJEHS, NJHS, OSHAPSM, OSHAWAC, PA, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

Regulatory CODE Descriptions


RQ = Reportable Quantity  
CERCLA = Superfund clean up substance  
CSWHS = Clean Water Act Hazardous substances  
EHS302 = Extremely Hazardous Substance  
EPCRAWPC = EPCRA Water Priority Chemicals  
HAP = Hazardous Air Pollutants  
MASS = MA Massachusetts Hazardous Substances List  
NJEHS = NJ Extraordinarily Hazardous Substances  
NJHS = NJ Right-to-Know Hazardous Substances  
OSHAPSM = OSHA Chemicals Requiring process safety management  
OSHAWAC = OSHA Workplace Air Contaminants  
PA = PA Right-To-Know List of Hazardous Substances  
SARA313 = SARA 313 Title III Toxic Chemicals  
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)  
TSCA = Toxic Substances Control Act  
TXAIR = TX Air Contaminants with Health Effects Screening Level  
TXHWL = TX Hazardous Waste List

### 16 OTHER INFORMATION

HMIS III: Health = 1, Fire = 0, Physical Hazard = 0

HMIS PPE: C - Safety Glasses, Gloves, Apron

HMIS	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	C



This information is based on our current knowledge of the product and is intended to describe the product for the purposes of health, safety, and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.